




Geoscanners AB®



ECU902

The ECU902 is a display unit for the survey wheel encoder implemented in the borehole tripod GTP-901. It provides a simple way of checking the used length of cable when the GPR display is not at a convenient distance.

The unit is absolutely transparent to the operation of the GTP-901 and will not introduce any delays or other artifacts to the pulses coming to the ground penetrating radar control unit.

General Specifications:


Display unit dimensions (LxWxH)	80x54x23 mm
Unit Weight	150g
Standard Cable Length	2m
IP Rating	IP54

Electrical Specifications:

Power	5VDC (10mA)
Input Format	Quadrature Channels A and B, no index
Calibration Value (on 12mm Cable)	32 ticks/meter (Single Ended)



ECU902 Front View



ECU902 Rear View

Operating Instructions:

1. Connect the GTP-901 cable to the input in the tripod's survey wheel encoder. The connector has a key so rotate it gently until it falls in place, insert it then.
2. Connect your survey wheel cable coming from the GPR unit or the antenna to the GPR/Antenna input in the rear part of the ECU902.
3. Apply power to your GPR and the display should lit up with four zeros.
4. If there is any other value then press the reset button to set the unit to zero.
5. Rotate the pulley in your GTP-901 forward and approximately at 3 turns the first meter appears in the display. With a cable of 12mm in diameter a meter of cable is equal to 2.6 turns of the pulley. Pay attention to the fact that while rotating the pulley a dot right over the arrow "ticks" in the display will lit every time a pulse is received. This is to indicate that the unit is processing the input data.

The unit will count up to 9999 meters after which it will roll over to zero, the same is valid in the opposite direction where 9999meters will appear if rotating backwards



The arrow in the picture shows the movement of the pulley going forward, this will result in the meter count in the ECU902 to increment. This is also the direction to get positive numbers in the SIR3000® from GSSI.

TERMS OF USE:

Geoscanners AB has made all reasonable efforts to ensure that all information provided through this document is accurate at the time of inclusion; however, there may be inadvertent and occasional errors for which Geoscanners AB apologizes.

Geoscanners AB accepts no liability for any inaccuracies or omissions in this document and any decisions based on information contained in this document are the sole responsibility of the reader. Geoscanners AB accepts no liability for any direct, special, indirect, or consequential damages, or any other damages of whatsoever kind, resulting from whatever cause through the use of any information obtained either directly or indirectly from this document.

This document may not be copied, reproduced, re-published, downloaded, posted, broadcast or transmitted in any way except for your own personal use. Any other use requires the prior written permission of Geoscanners AB. You agree not to adapt, alter or create a derivative work from any of the material contained in this document or use it for any other purpose other than for your personal use. You agree to use this document only for lawful purposes, and in a manner which does not infringe the rights of, or restrict or inhibit the use and enjoyment of this document by any third party.

This document and the information, names, images, pictures, logos and icons regarding or relating to Geoscanners AB, its products and services (or to third party products and services), is provided "AS IS" and on an "IS AVAILABLE" basis without any representation or endorsement made and without warranty of any kind whether express or implied, including but not limited to the implied warranties of satisfactory quality, fitness for a particular purpose, non-infringement, compatibility, security and accuracy.

In no event will Geoscanners AB be liable for any damages including, without limitation, indirect or consequential damages, or any damages whatsoever arising from use or loss of use, data, or profits, whether in action of contract, negligence or other tortious action, arising out of or in connection with the use of this document. Geoscanners AB does not warrant that the functions contained in the material contained in this document will be uninterrupted or error free, that defects will be corrected. The names, images and logos identifying Geoscanners AB and their products and services are proprietary marks of Geoscanners AB. Nothing contained herein shall be construed as conferring by implication or otherwise any license or right under any trade mark or patent of Geoscanners AB, or any other third party.

If there is any conflict between these Terms and Conditions and rules and/or specific terms of use appearing in this document relating to specific material then the latter shall prevail.

If any of these Terms and Conditions should be determined to be illegal, invalid or otherwise unenforceable by reason of the laws of any state or country in which these Terms and Conditions are intended to be effective, then to the extent and within the jurisdiction which that Term or Condition is illegal, invalid or unenforceable, it shall be severed and deleted from this clause and the remaining terms and conditions shall survive, remain in full force and effect and continue to be binding and enforceable.

These Terms and Conditions shall be governed by and construed in accordance with the laws of Sweden. Disputes arising here from shall be exclusively subject to the jurisdiction of the courts of Sweden.

If these Terms and Conditions are not accepted in full, the use of this document must be terminated immediately.