



Geoscanners AB®



LLD702

The LLD702 is a long line driver for GSSI SIR® ground penetrating radar systems with low drive capacity. Radar systems such as the SIR3000 can drive cables with lengths up to 30 meters only, but with the aid of the LLD702 cables of in excess of 100 meters can be safely operated.

ELECTRICAL SPECIFICATIONS:


Power Consumption (Low Voltage)	120 mW
Power Consumption at 100 kHz PRF (HV)	0.9 W
Output TX Trigger Peak Voltage	80 V
Output RX Trigger Peak Voltage	80 V
TX Trigger rise time	1.25 ns
RX Trigger rise time	1.25 ns
AF gain	6 dB

MECHANICAL SPECIFICATIONS:

Dimensions (LxWxH) mm/inch	175x106x45 (mm)/ 6.9x4.1x1.7 (inch)
Weight Kg/Lbs	0.6 kg/ 1.32 Lbs
Ingress Protection Rating	IP51

ENVIRONMENTAL SPECIFICATIONS:

Maximum Temperature °C / °F	+40 °C / +104 °F
Minimum Temperature °C / °F	-10 °C / +14 °F
Maximum Humidity (non-condensing)	96% RH
RoHS Compliant	YES



OPERATING INSTRUCTIONS:

1. Connect the control cable (1) from the LLD702 to the radar control unit.
2. Connect the antenna control cable to the LLD701 output (2).
3. Attach the antenna control cable to the antenna intended for operation.
4. Turn on the radar unit and proceed with the survey.

CABLE TYPE AND OPERATING CABLE LENGTH

The long line driver LLD702 was designed to be operated with control cables using coax cables of the type RG58 for the triggering pulses. For that type of cables the attenuation is approximately 17 dB/100m and the capacitance around 10nF/100m. With those specifications it is possible to run cables up to 150 meters with the existing hardware from Geoscanners AB, Radarteam Sweden AB and GSSI without modifications. If another type of cable is used, for instance RG174 or RG316U, with higher attenuation and capacitance then the maximum operating length will be reduced accordingly.

TERMS OF USE:

Geoscanners AB has made all reasonable efforts to ensure that all information provided through this document is accurate at the time of inclusion; however, there may be inadvertent and occasional errors for which Geoscanners AB apologizes.

Geoscanners AB accepts no liability for any inaccuracies or omissions in this document and any decisions based on information contained in this document are the sole responsibility of the reader. Geoscanners AB accepts no liability for any direct, special, indirect, or consequential damages, or any other damages of whatsoever kind, resulting from whatever cause through the use of any information obtained either directly or indirectly from this document.

This document may not be copied, reproduced, re-published, downloaded, posted, broadcast or transmitted in any way except for your own personal use. Any other use requires the prior written permission of Geoscanners AB. You agree not to adapt, alter or create a derivative work from any of the material contained in this document or use it for any other purpose other than for your personal use. You agree to use this document only for lawful purposes, and in a manner which does not infringe the rights of, or restrict or inhibit the use and enjoyment of this document by any third party.

This document and the information, names, images, pictures, logos and icons regarding or relating to Geoscanners AB, its products and services (or to third party products and services), is provided "AS IS" and on an "IS AVAILABLE" basis without any representation or endorsement made and without warranty of any kind whether express or implied, including but not limited to the implied warranties of satisfactory quality, fitness for a particular purpose, non-infringement, compatibility, security and accuracy.

In no event will Geoscanners AB be liable for any damages including, without limitation, indirect or consequential damages, or any damages whatsoever arising from use or loss of use, data, or profits, whether in action of contract, negligence or other tortious action, arising out of or in connection with the use of this document. Geoscanners AB does not warrant that the functions contained in the material contained in this document will be uninterrupted or error free, that defects will be corrected. The names, images and logos identifying Geoscanners AB and their products and services are proprietary marks of Geoscanners AB. Nothing contained herein shall be construed as conferring by implication or otherwise any license or right under any trade mark or patent of Geoscanners AB, or any other third party.

If there is any conflict between these Terms and Conditions and rules and/or specific terms of use appearing in this document relating to specific material then the latter shall prevail.

If any of these Terms and Conditions should be determined to be illegal, invalid or otherwise unenforceable by reason of the laws of any state or country in which these Terms and Conditions are intended to be effective, then to the extent and within the jurisdiction which that Term or Condition is illegal, invalid or unenforceable, it shall be severed and deleted from this clause and the remaining terms and conditions shall survive, remain in full force and effect and continue to be binding and enforceable.

These Terms and Conditions shall be governed by and construed in accordance with the laws of Sweden. Disputes arising here from shall be exclusively subject to the jurisdiction of the courts of Sweden.

If these Terms and Conditions are not accepted in full, the use of this document must be terminated immediately.